



Drawing name: M:\Engineering Services\Engineering Design Projects\RESOURCE References\WCC Standard Drawings\SD5-13(i).dwg (28 May, 2024)



GRATED KERB CATCH PIT WITH JUNCTION PIT



SECTION A-A

- NOTES :
1. CONCRETE STRENGTH OF 32MPa AT 28 DAYS.
 2. BEDDING AS PER WCC SPECIFICATION 705 - DRAINAGE PITS AND COVERS.
 3. CHANNEL GRATES TO COMPLY WITH AS 3996, BE FITTED WITH AN APPROVED LOCKING DEVICE AND HAVE A CLEAR OPENING OF 900mm X 350mm.

REV	AMENDMENTS	APPROVAL	DATE
B	MINOR DRAFTING MODIFICATIONS		17-05-07
C	UPDATED TO REFLECT CURRENT STANDARDS	M.BRIGANDI	21-05-24

GRATED KERB CATCH PIT FOR SM2, WSM2 AND M2 KERB TYPES WITH JUNCTION PIT

45 PRINCES HIGHWAY
WERRIBEE, VIC 3030

TEL: 1300 023 411
wyndham.vic.gov.au

CAD FILE: SD5-13(i).DWG
DRAWN DATE: FEB 2024
REVISION: C
DRAWING NO.: SD5-13(i)

GENERAL NOTES: -DRAWINGS ARE NOT TO SCALE.
 -ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
 -FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEBSITE.
 -ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).