



Drawing name: M:\Engineering Services\Engineering Design Projects\RESOURCE References\WCC Standard Drawings\SD5-14(i).dwg (28 May, 2024)



GRATED KERB CATCH PIT WITH JUNCTION PIT



SECTION A-A

NOTES :

1. CONCRETE STRENGTH OF 32MPa AT 28 DAYS.
2. BEDDING AS PER WCC SPECIFICATION 705 - DRAINAGE PITS AND COVERS.
3. CHANNEL GRATES TO COMPLY WITH AS 3996, BE FITTED WITH AN APPROVED LOCKING DEVICE AND HAVE A CLEAR OPENING OF 900mm X 350mm.

| REV | AMENDMENTS | APPROVAL | DATE |
|-----|--------------------------------------|------------|----------|
| B | MINOR DRAFTING MODIFICATIONS | | 12-06-08 |
| C | UPDATED TO REFLECT CURRENT STANDARDS | M.BRIGANDI | 21-05-24 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

**GRATED KERB CATCH PIT FOR WB2 KERB
TYPE WITH JUNCTION PIT**

45 PRINCES HIGHWAY
WERRIBEE, VIC 3030

TEL: 1300 023 411
wyndham.vic.gov.au

| |
|----------------------------------|
| CAD FILE: SD5-14(i).DWG |
| DRAWN DATE: FEB 2024 |
| REVISION: C |
| DRAWING NO.: SD5-14(i) |

GENERAL NOTES: -DRAWINGS ARE NOT TO SCALE.
 -ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
 -FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEBSITE.
 -ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).