


Drawing name: M:\Engineering Services\Engineering Design Projects\RESOURCE References\WCC Standard Drawings\SD8-1B.dwg (28 May, 2024)



NOTES:

1. SERVICE OFFSETS TO BE APPROVED BY SUBDIVISIONS ENGINEER FOR NEW SUBDIVISION WORKS.
2. CONDUITS TO EXTEND TO 1500mm BEHIND BACK OF KERB. GAS CONDUIT TO EXTEND 300mm INTO THE ALLOTMENT WHERE FOOTPATH IS TO BE CONSTRUCTED AND 300mm PAST OFF STREET PARKING BAYS.
3. CONDUITS TO BE 300mm PVC CLASS 12 IN INDUSTRIAL AND COMMERCIAL ESTATES.
4. APPROVAL FROM COUNCIL AND THE APPROPRIATE SERVICE AUTHORITY IS REQUIRED IF THERE ARE ANY CHANGES TO SERVICE OFFSETS.
5. CRUSHED ROCK BACKFILL FOR GAS & WATER TRENCH.

| REV | AMENDMENTS | APPROVAL | DATE |
|-----|--------------------------------------|------------|----------|
| B | SERVICE OFFSETS CHANGED | | 20-01-10 |
| C | UPDATED TO REFLECT CURRENT STANDARDS | M.BRIGANDI | 21-05-24 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

**ROAD & STREET CROSS SECTION
TYPICAL SERVICE LOCATIONS
(LOOP ROAD ABUTTING ARTERIAL/MAIN ROAD)**

45 PRINCES HIGHWAY
WERRIBEE, VIC 3030

TEL: 1300 023 411
wyndham.vic.gov.au

| |
|-------------------------------|
| CAD FILE: SD8-1B.DWG |
| DRAWN DATE: FEB 2024 |
| REVISION: C |
| DRAWING NO.: SD8-1B |

GENERAL NOTES:

- DRAWINGS ARE NOT TO SCALE.
- ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEBSITE.
- ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).