



May 2024

STANDARD DRAWINGS

STANDARD DRAWING INDEX

Dwg No.	Contents
SD1-1	Standard Drawings Conditions Of Use
Section 1 – Kerbs	
SD1-2	Kerb Profiles (SM2, SM3, WSM2, WSM3, M2, Invert Channel)
SD1-3	Kerb Profiles (WB2, B1, MWB2, SM1, M4, M1)
SD1-4	Kerb Profiles Concrete Spiked Kerbs
SD1-5	Typical Treatment For Invert Channel Across Threshold
Section 2 – Paths	
SD2-1	Footpath Against Title Boundary
SD2-3	Shared Path (All Locations).
SD2-4	Concrete Path And Pavement Joint Details
SD2-5	Typical Concrete Footpath Treatments At Service Authority Pits
SD2-5A	Typical Concrete Footpath Construction Details At Sewer & Drainage Pits
SD2-6	Electrical Pit In Footpath
Section 3 - Pram Crossings	
SD3-1	Pram Crossing Details
Section 4 - Property Access	
SD4-1	Single Residential Vehicle Crossing Footpath Against Title Boundary
SD4-3	Double Residential Vehicle Crossing Footpath Against Title Boundary
SD4-5	Heavy Duty Vehicle Crossing Footpath Against Title Boundary.
SD4-6	Rural Vehicle Crossing
Section 5 - Drainage Pits	
SD5-1	Grated Pit - Depressed Steel Grate For Medians And Table Drains
SD5-3	Raised Pit Grill For Pits Opening – 750 x 750 Floodways
SD5-4	Shallow Inlet Catch Pit For Open Drain For Pipes Up To 450mm Diameter
SD5-7	Step Iron Details
SD5-8	Storm Water Junction Pit For Pipes Up To 525mm Diameter And 3600mm Maximum Depth
SD5-9	Storm Water Junction Pit For Pipes 600mm Diameter And Greater, With 3600mm Maximum Depth

SD5-10	Notes For Storm Water Junction Pits
SD5-13(i)	Grated Kerb Catch Pit For SM2, WSM2, And M2 Kerb Types With Junction Pit
SD5-14(i)	Grated Kerb Catch Pit For WB2 Kerb Type With Junction Pit
SD5-16	Junction Pit Covers Insert & Frame

Section 6 - Drainage Incidentals

SD6-2	Property Connection To Underground Drain
SD6-3	Easement Property Inlet Connection
SD6-10	Sewer Trench Backfilling Specification For Drains In Close Proximity (See Table) – Excluding Under Pavements.
SD6-10A	Culvert Trench Backfilling Specifications
SD6-11	Anchor Block Details For Pipes Up To 600mm Diameter
SD6-14	Driveable Culvert Endwall (Pipe Culverts Up To 600mm Ø and Box Culverts Up To 600mm Ø Wide)

Section 7 - Subsurface Drainage

SD7-1A	Subsurface Drain Back Of Kerb
SD7-2	Subsurface Drainage

Section 8 - Street Cross Sections

SD8-1	Road & Street Cross Section Typical Service Locations
SD8-1B	Road & Street Cross Section Typical Service Locations (Loop Road Abutting Arterial/Main Road)

Section 9 - Off Street Parking

SD9-1	On-Street Car Parking
-------	-----------------------

Section 10 - Bollards

SD10-1	Collapsible Bollard Detail
SD10-2	Fixed Bollard Detail

Section 11 - Miscellaneous

SD11-1	Typical Road Sign Locations And Street Name Plate Detail
SD11-2	Guide Post Detail
SD11-5A	Noise Absorbing High Wind Treated Pine Fence
SD11-5B	Standard Detail For All Council Shared Fencing
SD11-6	Concrete Parking Bay Details
SD11-8	Service Conduit Markings
SD11-10	Permanent Survey Mark High Stability