

ROUND ALL EDGES AND ENSURE ALL LOGS ARE FREE FROM SPLINTERS, CRACKS AND SPLITTING. ENSURE BARK IS REMOVED.

- GARDEN BED OR PLAYGROUND MULCH. REFER DRAWINGS FOR DEPTH AND DETAILS.

CONCRETE FOOTING TO FINISH MIN. 150mm DEPTH BELOW MULCH. 50mm RADIUS TOOLED EDGE TO TOP.

TIMBER LOG CUTOFFS. MIN. 100mm - MAX. 400mm ABOVE GROUND. APPLY SUITABLE BITUMEN PAINT TO ALL TIMBER TO BE INSTALLED BELOW FINISHED SURFACE LEVEL BITUMEN LINE TO ACT AS INFORMAL MULCH LEVEL INDICATOR.

NOTE:

1. CLASS 1 TIMBER LOG CUT-OFF ROUNDS 300mm Ø MINIMUM OF HALF OF TOTAL LENGTH BELOW GROUND LEVEL, 100mm - 400mm ABOVE GROUND. 2. ALL SPACINGS OF TIMBER LOGS MUST BE GREATER THAN 230mm OR BETWEEN 75mm - 85mm OR FLUSH TO PREVENT HEAD AND FINGER ENTRAPMENT. 3. NO SPLITTING OF TIMBER WILL BE ACCEPTABLE PRIOR TO HANDOVER. 4. TIMBER TO BE GREYED OFF AND AGED APPROPRIATELY TO MINIMISE SHRINKING. 5. MULCH DEPTHS INDICATED TO BE

MAINTAINED AT ALL TIMES.
6. BITUMEN SEAL LOGS WHERE IN CONTACT WITH THE GROUND.

1212121212121212121	71/21/21/21	>/\//\//\//\//\/	///////////////////////////////////////
12/12/12/12/12/12/12/12/12/12/12/12/12/1	// 5-85mm	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
12/12/12/12/12/12/12/12/	XIZIXI)	>/\>/\\/\\/\\/\\/	\21\21\
1/21/21/21/21/21/21	V-//	<u> </u>	>
	12	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	12/12/12
1/21/21/21/21/21/21/21/21/21/21/21/21/21			\ <u></u>
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u> </u>		
			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
1/2/	<u> </u>		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	/\`/\`/\`/\\\/\ -\\-\\-\\		
	<u> </u>		TIMBER LOG CUTOFFS.
)/	MIN. 250MM - MAX. 400mm DIA.
	/		WITH ENTRAPMENT OFFSET
		!/	CONFIRMED BY PLAYGROUND
1/	<u> </u>	<u> </u>	<u> </u>

RE\	/ISIONS			
REV.	DESCRIPTION	DATE	DRN	CHKD
1	PRELIMINARY	11.08.23	M.M.	R.D.
2	PRELIMINARY	01.11.23	S.M.	R.D.
3	PRELIMINARY	14.12.23	M.M.	R.D.
4	COUNCIL ISSUE	12.07.24	M.M.	R.D.

NOTES

LOG STEPPER (CLUSTER) TYPICAL DETAIL

-ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS OTHERWISE STATED
- REFER WYNDHAM CITY COUNCIL WEBSITE TO ENSURE DRAWINGS ARE THE LATEST REVISION.
- DRAWINGS ARE CONCEPT ONLY AND NOT SPECIFIC TO ANY SITE OR SITE CONDITIONS. - DRAWINGS CONTAIN TYPICAL ENGINEERING DETAIL FOR INFORMATION ONLY AND WILL REQUIRE PROJECT AND SITE SPECIFIC STRUCTURAL ENGINEERING AND OR SHOP DRAWINGS. - DRAWINGS WILL BE SUBJECT TO CHANGE THROUGHOUT DESIGN AND CONSTRUCTION PROCESS.

PROCESS.

OVERALLAYOUT, SIZE AND THEME WILL NOT CHANGE.

THE DESIGN ASSUMES THAT THE DESIGN WILL BE DEVELOPED AND CONSTRUCTED BY
A SUTTABLY QUALIFIED CONTRACTOR WITH MINIMUM 10 YEARS RELEVANT INDUSTRY
EXPERIENCE.




STANDARD DETAIL - LANDSCAPE **NATURE PLAY**

VERTICAL STEPPER LOG SHEET 1 OF 1

Ī	STATUS COUNCIL ISSUE	NOT FOR CONSTRUCTION
	SCALE	DATE
	AS SHOWN	11.08.2023
	DWG No.	REV
	OS 403	4 43

WHERE SUBGRADE ISN'T NATURAL GROUND/CLAY, BOULDER TO BE IN CONCRETE FOOTING. DETAILS TO BE CONFIRMED AND PROVIDED BY PROJECT ENGINEER.



REVISIONS				
REV.	DESCRIPTION	DATE	DRN	CHKD
1	PREL I MINARY	11.08.23	M.M.	R.D.
2	PREL I MINARY	22.11.23	S.M.	R.D.
3	PREL I MINARY	14.12.23	M.M.	R.D.
4	COUNCIL ISSUE	12.07.24	M.M.	R.D.

-ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS OTHERWISE STATED
- REFER WYNDHAM CITY COUNCIL WEBSITE TO ENSURE DRAWINGS ARE THE LATEST REVISION.
- DRAWINGS ARE CONCEPT ONLY AND NOT SPECIFIC TO ANY SITE OR SITE CONDITIONS. - DRAWINGS CONTAIN TYPICAL ENGINEERING DETAIL FOR INFORMATION ONLY AND WILL REQUIRE PROJECT AND SITE SPECIFIC STRUCTURAL ENGINEERING AND OR SHOP DRAWINGS. - DRAWINGS WILL BE SUBJECT TO CHANGE THROUGHOUT DESIGN AND CONSTRUCTION

ORAWINGS WILL BE SUBJECT TO CHANGE THROUGHOUT DESIGNAND CONSTRUCTION PROCESS.
 OVERALL LAYOUT, SIZE AND THEME WILL NOT CHANGE.
 THE DESIGN ASSUMES THAT THE DESIGN WILL BE DEVELOPED AND CONSTRUCTED BY A SUTABLY QUALIFIED CONTRACTOR WITH MINIMUM 10 YEARS RELEVANT INDUSTRY EXPERIENCE.



STANDARD DETAIL - LANDSCAPE **NATURE PLAY** STAND-ALONE BOULDER SHEET 1 OF 1

1	STATUS COUNCIL ISSUE	NOT FOR CONSTRUCTION
	SCALE	DATE
	AS SHOWN	11.08.2023
	DWG No.	REV
	OS 404	4 _{A3}